


No. PAO/Fert/Renovation/2014-15/  
Government of India  
O/o the Controller of Accounts,  
Ministry of Chemicals & Fertilizers  
Janpath Bhawan, Janpath  
New Delhi-110001

Dated 28-11-2014

Tender Notice

Name of Work:- Renovation of Office Space and Providing & Fixing of Modular Furniture, Aluminium Paneling and Minor Civil & Electrical Work.

Schedule of Date & Time	Time	Date
1. Date of NIT Publication	_____	
2. Sale of Tender forms	11.00 AM to 4.00 PM	28-11-14 To 19-12-14
3. Submission of complete Tender up till	12.00 Noon	22-12-2014
4. Opening of Tender on	3.00 PM	22-12-2014
5. D/D No. & date	_____	Rs. 1000/- (Tender form fee)
6. Amount of Earnest money Rs.	Rs. 1,20,000/-	
7. DD No. and date of EMD Issued in favour of	_____	PAO, Fertilizers, New Delhi.

  
(Sr. Accounts Officer)  
Admn  
Ph No. 011-23310245  
Sr. A.O.  
Pt. Pay & Accounts Office  
Deptt. of Fertilizers  
New Delhi

## 1. INSTRUCTIONS TO TENDERERS AND GENERAL CONDITIONS OF THE CONTRACT

- 1.1 **General Information** On behalf of Govt of India , O/o The Controller of Accounts, Ministry of Chemicals & Fertilizers invites sealed tenders in Two bid systems (Technical bid & Financial Bid) from manufacturers of Godrej, Delite Hi-Tech, Howrath, Steel Case and Vitra make only for supplying and fixing of Modular Furniture, Aluminium Paneling and minor civil & electrical works. The tender should be submitted with all relevant catalogue/literature/leaflets, if any.
- 1.2 The tender form can be obtained from the Office of the Controller of Accounts, M/o Chemicals & Fertilizers, Janpath Bhawan, New Delhi from 28-12-2014 to 19-12-2014 between 11.00 AM to 4.00 P.M for Rs. 1000/- through Demand Draft in f/o PAO, Fertilizers. The tender document is also available on website [www.fert.nic.in](http://www.fert.nic.in) and cpp portal at <http://www.eprocure.gov.in>.
- 1.3 Prices are to be quoted separately in the Financial Bid/Schedule of Quantity. (Annexure –II)
- 1.4 All offers should be submitted on or before the time and date fixed for the receipt of offers as set forth in the tender documents. Offers received after the stipulated time and date will be summarily rejected. The Tenderer must ensure that the conditions laid down for submissions of offers are correctly and completely adhered to. Tenders found deficient in any respect shall be summarily rejected. Similarly, conditional offers/offers with terms and conditions inconsistent with those contained in this document shall be rejected.
- 1.5 An indicative Check List has been included in Annexure-I. This has been designed to help the Tenderer in submitting complete offer. An incomplete offer is liable to be rejected. The Tenderer must check this Checklist and submit the requisite papers along with his offer in his own interest.
- 1.6 The Office of the Controller of Accounts reserves the right to accept or reject any tender without assigning any reasons thereof.
- 1.7 The Office of the Controller of Accounts reserve itself the right to increase or decrease the quantity to be procured.
2. **Submission of Tender:**
- 2.1 The tender complete in all respects should be addressed to O/o The Controller of Accounts, Ministry of Chemicals & Fertilizers, Janpath Bhawan, New Delhi so as to reach on or before the last date of submission on 12.00 Noon, 22-12-2014.
- 2.2 Technical and Financial bids will be submitted by the agency in separate sealed envelopes. The Technical bid will be opened on 3.00 PM on 22-12-2014. Financial bids of the suppliers who are qualified in the technical bid will be opened on 22-12-2014 at 3.30 PM only for those tenderers who fulfill the eligibility criteria and required documents found in order under technical bid.
3. **Submission of Offer**
- 3.1 The tender in the prescribed format must be under sealed cover. This is a two-bid system. The first cover should be superscribed "Technical Bid for supply of Renovation of Office Space



and providing & Fixing of Modular Furniture, Paneling and other works. The second cover should be superscribed "Financial Bid for supply of Renovation of Office Space and providing & Fixing of Modular Furniture, Paneling and other works. Both these Envelopes, after being sealed properly, shall be put into a third envelope, which should be properly sealed before it is sent/submitted. The third sealed cover shall be addressed to O/o The Controller of Accounts, Ministry of Chemicals & Fertilizers, Janpath Bhawan, Janpath, New Delhi. Super scribing "Tender bid for supply of Renovation of Office Space and providing & Fixing of Modular Furniture, Paneling and other works. If the outer envelope is not sealed properly, the tender is liable to be rejected.

- 3.2 The envelop named "Technical Bid" shall comprise of all documents as per Annexure-I of this tender document. Those who do not qualify the pre-qualification conditions shall be summarily rejected and their Financial Bids shall not be opened.
- 3.3 In the financial bid, the prices and other information like discounts and (or) any terms having a bearing on the price shall be written both in Words and Figures. If there is discrepancy between the price/information quoted in words and figures, the price/information quoted in words shall prevail.
- 3.4 The "Technical bid" shall be opened in the first instance in the presence of tenderers or their authorized representatives. Only one authorized representative per tenderer will be permitted to be present at the time of opening of the tender.
- 3.5 The Excise Duty, Sales Tax, VAT etc., as applicable should be included in the price, failing which department shall have no liability to pay these charges, and the liability shall be that of the tenderer.
- 3.6 Each page of the offer shall be numbered and will bear the signature of the tenderer at the bottom with stamp. All offers shall be either typewritten or written neatly in indelible ink. Any correction should be properly authenticated.
- 3.7 Bidder must have the Registration of manufacturing unit (Factory License.) copy must be enclosed with technical bid.
- 3.8 Membership certificate BIFMA & Pollution control order copy must be enclosed with technical bid.
- 3.9 Sale Tax / Excise Registration/Service Tax Registration with latest returns must be enclosed with technical bid.
4. **Background Information:**
- 4.1 The tenderer shall provide the names of the customers to whom similar items were supplied in the past 5 years (copies of the PO to be enclosed), along with the supporting documents while submitting the technical bid.
- 4.2 In case, the tenderer feels necessary to provide any additional information, they may give on a separate sheet and enclose it with Technical Bid.
5. **Compliance with the technical specifications:**
- 5.1 Deviations from the specification, if any, shall be clearly indicated along with explanations.



- 5.2 Office of the Controller of Accounts may accept such specifications that ensure same or higher quality than the prescribed one. However, the decision of the Office of the Controller of Accounts in this regard shall be final.

6. **Earnest Money Deposit:**

- 6.1 The Earnest Money Deposit amount of Rs. 1,20,000/- (Rupees One Lac Twenty Thousand only) will have to be furnished by all tenderers alongwith the Technical Bid. The Earnest Money Deposit can be submitted by way of Banker's Cheque/FDR/Demand Draft from any Public Sector/Scheduled Bank drawn in favour of PAO, Fertilizers Payable at New Delhi or in the form of Bank Guarantee from any Scheduled Bank. The Bank Guarantee shall remain valid for a period of 90 days. Any tender not accompanied by Earnest Money shall be summarily rejected.
- 6.2 The EMD shall remain with the department during the period of validity of the offer, i.e. minimum period of ninety (90) calendar days from the date of opening of tender.
- 6.3 No Interest shall be paid by the department on the EMD for the above said period.
- 6.4 The EMD deposited is liable to be forfeited if the tenderer withdraws or amends/ impairs or derogates from the tender in any respect, within the period of validity of his offer.
- 6.5 If the successful tenderer fails to furnish a Performance /Security deposit, on terms and conditions laid down by the department, then the Earnest Money shall be forfeited by department.
- 6.6 The EMD of all unsuccessful tenderers shall be returned within a reasonable period of 30 days after finalization of the tender.

7. **Local Conditions:**

- 7.1 It will be imperative on each tenderer to fully acquaint himself with the entire local conditions and factors, which would have an effect on the performance of the contract and cost. The department shall not entertain any request for clarifications from the tenderer regarding local conditions. No request for the enhancement in price or extension of time schedule of delivery/installation shall be entertained after Tenderer has accepted the offer.

8. **Evaluation of Offer:**

- 8.1 If the purchaser considers necessary, it may ask revised financial bids from the short listed tenderers which should be submitted within two days of intimation to this effect in sealed envelopes on specified dates and time. The revised bids shall not be for amounts more than one quoted earlier for an item, unless the specification is higher configuration than the earlier ones by the respective tenderers. Any tenderers quoting higher rates for the same items quoted earlier in their revised financial bids shall be disqualified for further consideration and EMD submitted may be forfeited.
- 8.2 The Financial Bid of only the technically short listed tenderers shall be opened in the presence of their representative, if they like to be present on a specified date and time, which will be communicated to the short listed Tenderers.

- 8.3 Department reserves the right to select the tenderer on the basis of best possible bids received. The decision of the Tender Evaluation Committee in this regard shall be final and representation of any kind shall not be entertained on the above. Any attempt by any tenderer to bring pressure of any kind may disqualify the tenderer for the present tender and the tenderer may be liable to be debarred from bidding for the tenders in future for a maximum period of three years.
- 8.4 Preference will be given to those tenders offering supplies from ready stocks and on the basis of delivery at site.
- 8.5 All available technical literature, catalogues and other data in support of the specification and details of the items should be furnished along with the offer.
9. **Acceptance of Tender:**  
Office of the Controller of Accounts may accept the tender, or reject any tender without disclosing any reason there of and may or may not accept the lowest/any tender.
10. **Effect and Validity of Offer :**
- 10.1 The offer shall be kept valid for acceptance for a minimum period of 120 days from the date of opening of the Financial Bid. The contract shall be initially valid for a period of one year from the date of award of the contract.
- 10.2 All the terms and conditions for the payment terms, penalty etc. shall be as those mentioned herein and no change in the terms and conditions will be acceptable. Alterations, any, in the tender bid shall be attested properly by putting their signatures and seal by the tenderer, failing which the tender is liable to be rejected.
11. **Security Deposit/Performance Security :**
- 11.1 The successful tenderers shall, after the order is placed, deposit a sum equivalent to 5% of the value of contract as security deposit for due performance of the contract. The security deposit may be furnished in the form of a bank draft/Bank Guarantee/FDR/Banker's Cheque drawn in favour of PAO, Fertilizers, New Delhi from a scheduled bank. Performance Security should remain valid for a period of One year beyond the date of completion of contractual obligations of the supplier including warranty obligations. Failure to furnish security deposit shall be treated as breach of contract and entail cancellation of the offer acceptance, forfeiture of EMD and procurement of goods from the next acceptable tenderer at the Cost and risk of the contractor.
- 11.2 If the tenderer is not able to supply the goods within the specified period to the complete satisfaction of the user department, the Bank Guarantee shall be invoked.
12. **Period & Terms of Delivery:**
- 12.1 The tenderers will supply the complete required goods/furniture within a maximum period of 60 days from the date of receipt of Purchase Order.
- 12.2 100% payment shall be made on satisfactory receipt/ Acceptance/ Performance Report and after submission of all required documents. No part of the contract price shall become due or payable until the tenderer has delivered the items to the complete satisfaction.

of user department. Payment shall be made subject to recoveries, if any.

- 12.3 The contractor will be held responsible for the stores being sufficiently and properly packed for transport by rail, road, sea or air, to with stand transit hazards and ensure safe arrival at the destination. The packing and marking of packages shall be done by and at the expense of the contractor. The purchaser will not pay separately for transit insurance, all risks in transit being exclusively of the contractor.
- 12.4 The contractor is responsible for obtaining a clear receipt from the Transport Authorities specifying the goods dispatched. The consignment should be dispatched with clear Railway Receipt/Lorry Receipt/Consignment Note. If Sent in any other mode, it will be at the risk of the contractor. The purchaser will take no responsibility for short deliveries or wrong supply of goods when the same are booked on "said to contain" basis. Purchaser shall pay for only such stores as are actually received by them in accordance with the contract.

### 13 ACCEPTANCE OF STORES

- 13.1a) The store shall be tendered by the contractor for inspection as such places as may be specified by the purchaser at the contractor's own risk, expenses and cost.
- b) It is expressly agreed that the acceptance of stores contracted for is subject to final approval by the purchaser whose decision shall be final.
- c) If, in the opinion of the purchaser, all or any of the stores that do not meet the performance or quality or requirements specified in the purchase order, same will be not accepted.
- d) If the whole or any part of the stores supplied is rejected in accordance with (c) above the purchaser shall be at liberty, with or without notice to the contractor to purchase in open market at the expenses of the contractor, store meeting the necessary performance and quality contracted for in place of those rejected.

### 14 REJECTED STORES

- 14.1 Rejected stores will remain at the contractor's risk and responsibility. If instruction for the disposal are not received from the contractor within a period of fourteen days from the date receipt of the advice of rejection, the purchaser or his representatives has, at his discretion the right to scrap or sell or consign the rejected store to tenderer's addresses at the tenderer's entire risk and expenses freight being payable by the tenderer at actual.

### 15. Penalty for Delay in supply:

- 15.1 If the goods are not supplied within the stipulated time and date the contractor shall be liable for payment of liquidated damages at the rate of 0.5% (Half percent) of the value of the delayed goods per week or part thereof subject to maximum of 10 percent of the Contract value of delayed Supplies or as may be deemed fit by Competent Authority. Thereafter the Office of the Controller of Accounts holds the option for getting the supply of modular furniture from other Tenderers and invoking the Bank guarantee of the Tenderer to recover the difference in Cost.

**16 Warranty/Guarantee & Replacement:**

- 16.1 Comprehensive on-site warranty for a minimum period of 12 months from the date of installation for the items supplied, as Certified by the department should be given.
- (a) If in the opinion of the purchaser, it becomes necessary to replace or renew any defective stores, such replacement or renewal shall be made by the contractor to the purchaser free of costs.
- b) If the contractor fail to rectify the defect, the purchaser shall have the right to reject or repair or replace at the cost of the contractor the whole or any portion of the defective stores.
- c) The decision of the purchaser notwithstanding any prior approval or acceptance of inspection thereof on behalf of the purchaser, as to whether or not the stores supplied by the contractor are defective or any defect has developed within the said period of 12 months or as to whether the nature of the defective requires renewal or replacement, shall be final, conclusive and binding on the contractor.

Except as otherwise provided in the invitation to the tender, the contractor/seller hereby declares that the goods stores, articles sold supplied to the purchaser under this purchase order shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars contained/mentioned in the purchase order.

**17 PAYMENT**

- 17.1 Department will pass Supplier's bill for payment only after the stores have been received, inspected and accepted by the purchaser on the basis of test reports submitted. Normally payment will be made for the accepted stores within sixty working days from the day of receipt of the materials though it shall not be binding on department in unforeseen circumstances.
- 17.2 Subcontract not allowed



TECHNICAL BID (Enclosed Document)

## TENDER FORM-I TECHNICAL INFORMATION AND UNDERTAKING

1. Name & Address including e-mail  
ID and Telephone contact details of  
the Bidder/Concern. \_\_\_\_\_
2. Nature of Concern (i.e. \_\_\_\_\_  
A Company or Agency or State/Central Govt. Autonomous  
Body/PSU, etc.). Please enclose  
**documentary evidence e.g.** \_\_\_\_\_  
Registration/Incorporation  
Certificate etc. \_\_\_\_\_
3. Whether each page of Tender Document, have  
been signed stamped and enclosed \_\_\_\_\_
4. Whether ready to supply the material within the period given by the  
Purchaser \_\_\_\_\_
5. Whether the tenderer is black listed for supplying any item by any  
Govt. concern or otherwise penalized \_\_\_\_\_
6. Whether evidence to show that the manufacturers has been in the  
business of manufacturer of furniture items for at least 5 years is  
attached with the technical bid. \_\_\_\_\_
7. [i] Whether supplier is the manufacturer himself \_\_\_\_\_  
[ii] Whether supplier is an authorized agency of the manufacturer  
and the evidence to prove the same is attached \_\_\_\_\_
8. Whether prevalent quality certificate (ISO & BIFMA) are possessed by the  
manufacturer and copies of these certificates attached \_\_\_\_\_
9. Whether manufacturer's catalogues in original for furniture items  
being offered attached with the Technical bids \_\_\_\_\_
10. Whether self attested legible copies of their PAN/TIN No. and VAT  
attached with the technical bid \_\_\_\_\_





- 11 Whether undertake to respond to service calls within two working Days \_\_\_\_\_
- 12 Whether proof of period of warranty offered attached: \_\_\_\_\_
- 13 Whether Income Expenditure statements, duly certified by CA/CA Certificate in respect of annual turnover for the last three years 2011-12, 2012-13 and 2013-14 is attached: \_\_\_\_\_
- 14 Details of EMD submitted \_\_\_\_\_
- 15. Details of Cost of Tender Paper submitted \_\_\_\_\_
- 16. Income Tax Regn. No. (Pan No) VAT Regn/Tin No. EPF/ESI Regn. No Copy must be enclosed.
- 17. Average financial turnover of Rs. 6 crore during the last three Consecutive financial years, duly audited, Signed & Stamped by a Chartered Accountant.
- 18 Earnest Money Deposit shall be in this envelop.
- 19 An affidavit on Rs. 10/- (non - judicial stamp paper) declaring that the bidder/ Organization has not been blacklisted/debarred by any of the Govt./Public Sector agency in the last three years. A declaration of fair business practice by the Bidder.
- 20 Pollution Control order Certificate.
- 21 Affidavit to be given by the Agency as per detail below.  
 "The Agencies are required to submit the memorandum of understanding duly executed with the manufacturers of Godrej/ Delite Hi-tech/ Haworth/ Steel case and Vitra brand furniture and a separate undertaking by the manufacturer on non judicial stamp paper worth Rs. 50/- that the furniture required under this tender shall be provided by them to the tenderer with the tender along with one year warranty. An attested copy of certificate duly signed by Managing Director is also to be submitted."



Signature (with Stamp).....

Name. ....

Designation .....

Company .....

Seal.....

SCHEDULE OF QUANTITY

Name of Work:- Renovation of Office Space and Providing & Fixing of Modular Furniture, Aluminium Paneling and Minor Civil & Electrical Work.

S.No.	Items Description	Qty.	Units	Rate	Amount
1	<b>SENIOR AO PHARMA (ROOM NO.-01)</b>				
i	<b>Executive Table</b> Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1500x750x750mm (wxdxh). The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminated particle board duly edge banded. The table has provision of three drawer unit.	2	Nos.		
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm. The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminated particle board duly edge banded. It has three drawer unit having telescopic	2	Nos.		
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholedsted of 72 mm thick & 1202 mm ht, snap on panel made of 12 mm prelaminated particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop. 1202 x 750 x 72 mm 1202 x 900 x 72 mm	4 2 2	Nos. Nos. Nos.		
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Key board tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	2	Nos.		
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 750x450(WxD). the top made of 25 mm prelaminated particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Over head unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size.				

*[Handwritten Signature]*

	450 x 600 x 350 mm (HxWxD)	1	No.		
	450 x 750 x 350 mm (HxWxD)	5	Nos.		
	450 x 900 x 350 mm (HxWxD)	2	Nos.		
vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminated particle board duly edge banded of size.	2	Nos.		
2	<b>1200x900x400mm (HxWxD)</b>				
	<b>Electrical Switches and Sockets</b>				
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	6	Nos.		
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	10	Mt.		
iii	Computer Jack cat 6 with shutter (Anchor Roma)	2	No.		
iv	Cat 6 cable for computer jack	30	Mt.		
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	2	Nos.		
vi	Telephone Cable 2 pair delton with conduit pipe	20	Mt.		
			<b>Total</b>		-

*Jashu*

S.No.	Items Description	Qty.	Units	Rate	Amount
1	<b>PAO Internal Audit (ROOM NO.-02)</b>				
i	<b>Executive Table</b> Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1500x750x750mm (wxdxh) the top. The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminated particle board duly edge banded. The table has provision of three	2	Nos.		-
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminated particle board duly edge banded. It has three drawer unit having telescopic	2	Nos.		-
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelaminated particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	4	Nos.		-
	1202 x 750 x 72 mm	2	Nos.		-
	1202 x 900 x 72 mm	2	Nos.		-
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	2	Nos.		-
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 750x450(WxD). the top made of 25 mm prelaminated particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		-
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Over head unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size.	2	Nos.		-
	450 x 900 x 350 mm (HxWxD)	1	No.		-
	450 x 600 x 350 mm (HxWxD)				

vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size. 1200 x 900 x 400 mm (HxWxD)	2	Nos.	-
2	<b>Electrical Switches and Sockets</b>	6	Nos.	-
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	10	Mt.	-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	2	No.	-
iii	Computer Jack cal 6 with shutter (Anchor Roma)	30	Mt.	-
iv	Cat 6 cable for computer jack	2	Nos.	-
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	20	Mt.	-
vi	Telephone Cable 2 pair delton with conduit pipe			
<b>Total</b>				-

*Joshi*

S.No.	Items Description	Qty.	Units	Rate	Amount
1	<b>SENIOR AO Chemical (ROOM NO.-03)</b>				
i	<b>Executive Table</b> Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1500x750x750mm (wxdxh) the top. The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. The table has provision of three drawer unit.	2	Nos.		-
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. It has three drawer unit having telescopic	2	Nos.		-
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelaminate particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	4	Nos.		-
	1202 x 750 x 72 mm	2	Nos.		-
	1202 x 900 x 72 mm	2	Nos.		-
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	2	Nos.		-
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 750x450(WxD). the top made of 25 mm prelaminate particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		-
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Over head unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size.	2	Nos.		-
	450 x 900 x 350 mm (HxWxD)	1	No.		-
	450 x 600 x 350 mm (HxWxD)				

vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminated particle board duly edge banded of size. 1200 x 900 x 400 mm (HxWxD)	2	Nos.	-
2	<b>Electrical Switches and Sockets</b>	6	Nos.	-
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	10	Mt.	-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	2	Nos.	-
iii	Computer Jack cat 6 with shutter (Anchor Roma)	30	Mt.	-
iv	Cat 6 cable for computer jack	2	Nos.	-
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	20	Mt.	-
vi	Telephone Cable 2 pair delton with conduit pipe			
<b>Total</b>				-

*Eshu*

S.No.	Items Description	Qty.	Units	Rate	Amount
	<b>PAO ACCOUNTS (ROOM NO.-05)</b>				
1	<b>Executive Table</b>	1	No.		
i	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1350x750x750mm (wxdxh) the top. The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminate particle	1	No.		
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. It has three drawer unit having telescopic	1	No.		
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht . snap on panel made of 12 mm prelaminate particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	1	No.		
	1202 x 750 x 72 mm	1	No.		
	1202 x 900 x 72 mm	1	No.		
	1202 x 1200 x 72 mm	1	No.		
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	1	No.		
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 750x450(WxD). the top made of 25 mm prelaminate particle board duly edge banded & the side made of 18mm particle board duly edge banded.	1	No.		
2	<b>Staff seating for 8 persons</b>				
i	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Worktop made of 25mm particle board duly postformed with fitting top of size:	7	Nos.		
	1200x600x25mm (wxdxt)	1	No.		
	1050x600x25mm (wxdxt)				

*[Handwritten Signature]*



ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf. the top made of 25 mm prelaminated particle board duly edge banded & the side 750x450(WxD)	1	No.	-
	900x450(WxD)	7	Nos.	-
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	8	Nos.	-
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra 3 drawer unit made of complete 18 mm prelaminated particle duly edgebanded with necessary hardware fittings.	8	Nos.	-
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Gable end in 25mm Prelaminated particle board duly edge banded. Gable end of size is 600x750x25mm(WxDxT)	2	Nos.	-
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Fins made of 10mm clear glass of size is 450x600x10mm(hwd)	8	Nos.	-
vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelaminated particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	3	Nos.	-
	1202 x 600 x 72 mm	1	No.	-
	1202 x 1050 x 72 mm	5	Nos.	-
	1202 x 1200 x 72 mm			
viii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Over head unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size.	4	Nos.	-
	450 x 900 x 350 mm (HxWxD)	1	No.	-
	450 x 750 x 350 mm (HxWxD)			
ix	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit Complete made of 20 gauge	4	Nos.	-
	2400 x 900 x 450 mm (HxWxD)			

3	<b>Electrical Switches and Sockets</b>			
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	27	Nos.	-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	45	Mt.	-
iii	Computer Jack cat 6 with shutter (Anchor Roma)	9	No.	-
iv	Cat 6 cable for computer jack	135	Mt.	-
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	1	No.	-
vi	Telephone Cable 2 pair delton with conduit pipe	10	Mt.	-
<b>Total</b>				-

*Joshi*

S.No.	Items Description	Qty.	Units	Rate	Amount
	<b>SR. AO, FERTILIZER (ROOM NO.-06)</b>				
1	<b>Executive Table</b>				
i	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1500x750x750mm (wxdxh) the top. The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. The table has provision of three	2	Nos.		-
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 900x400x750mm (wxdxh). The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminate particle board duly edge banded.	2	Nos.		-
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. It has three drawer unit having telescopic	2	Nos.		-
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelaminate particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	4	Nos.		-
	1202 x 750 x 72 mm	2	Nos.		-
	1202 x 900 x 72 mm				

v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	2	Nos.		-
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 750x450(WxD). the top made of 25 mm prelaminated particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		-
vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Over head unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size.	3	Nos.		-
viii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size.	2	Nos.		-
2	<b>Electrical Switches and Sockets</b>	6	Nos.		-
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	10	Mt.		-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	2	Nos.		-
iii	Computer Jack cat 6 with shutter (Anchor Roma)	30	Mt.		-
iv	Cat 6 cable for computer jack	2	Nos.		-
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	20	Mt.		-
vi	Telephone Cable 2 pair delton with conduit pipe				
				<b>Total</b>	-

S.No.	Items Description	Qty.	Units	Rate	Amount
1	<b>PA ROOM</b>				
i	<b>Executive Table</b> Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1200x600x750mm (wxdxh) the top. The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. The table has provision of three drawer unit.	2	Nos.		-
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. It has three drawer unit having telescopic channel & Open Shelf.	2	Nos.		-
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelaminate particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop. 1202 x 600 x 72 mm 1202 x 900 x 72 mm	2 2 2	Nos. Nos. Nos.		- - -
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	2	Nos.		-
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 900x450(WxD). the top made of 25 mm prelaminate particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		-

2	<b>Electrical Switches and Sockets</b>				
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	6	Nos.		-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	10	Mt.		-
iii	Computer Jack cat 6 with shutter (Anchor Roma)	2	Nos.		-
iv	Cat 6 cable for computer jack	30	Mt.		-
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	2	Nos.		-
vi	Telephone Cable 2 pair delton with conduit pipe	20	Mt.		-
<b>Total</b>					-

*Joshi*

S.No.	Items Description	Qty.	Units	Rate	Amount
1	<b>PAO FERTILIZER STAFF</b>				
i	<b>Executive Table</b> Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1500x750x750mm (wxdxh) the top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm pre laminated particle board duly edge banded. The table has provision of three	2	Nos.		-
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm pre laminated particle board duly edge banded. It has three drawer unit having telescopic	2	Nos.		-
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Backdrop unit. The top are made of 25 mm thick particle board duly post formed. The sides and the front are made of 25 mm thick pre laminated particle board duly edge banded including all necessary fittings and accessories. backdrop unit of size.	2	Nos.		-
iv	750 x 1500 x 450 mm (HxWxD) Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm pre laminated particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	1	No.		-
	1202 x 450 x 72 mm	1	No.		-
	1202 x 600 x 72 mm	1	No.		-
	1202 x 750 x 72 mm	1	No.		-
	1202 x 900 x 72 mm	1	No.		-
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	2	Nos.		-

vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 750x450(WxD). the top made of 25 mm prelamated particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		
2	<b>Staff seating for 18 persons</b>				
i	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Worktop made of 25mm particle board duly postformed with fitting and 10mm clear bevelled glass on top of size: 1200x600x25mm (wxdxt)	18	Nos.		
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf. the top made of 25 mm prelamated particle board duly edge banded & the side 900x450(WxD)	18	Nos.		
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	18	Nos.		
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra 3 drawer unit made of complete 18 mm prelamated particle duly edgebanded with necessary hardware fittings.	18	Nos.		
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Fins made of 10mm clear glass of size is 450x600x10mm(hwd)	10	Nos.		
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelamated particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop. 1202 x 600 x 72 mm 1202 x 1200 x 72 mm	16 12	Nos. Nos.		
vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Over head unit body & Shelf made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded of size. 900 x 900 x 350 mm (HxWxD)	11	Nos.		
viii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit Complete made of 20 gauge 2400 x 900 x 450 mm (HxWxD) 2400 x 750 x 450 mm (HxWxD)	13 1	Nos. No.		



3	<b>Electrical Switches and Sockets</b>				
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	60	Nos.		-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	100	Mt.		-
iii	Computer Jack cat 6 with shutter (Anchor Roma)	20	Nos.		-
iv	Cat 6 cable for computer jack	300	Mt.		-
v	Telephone jack single with shutter (R.J-11) (Anchor Roma)	2	Nos.		-
vi	Telephone Cable 2 pair delton with conduit pipe	20	Mt.		-
4	Almunium partition annonized 4"x1-3/4"x12 gz. With 12mm particule board & 3/4" margin complete. (Pao Fertilizer)	170	Sq. Ft.		-
5	Almunium paneling annonizes 1.5"x1.5"x12 gz. With 12mm particule board & 3/4" margin complete. (pao fertilizer)	900	Sq. Ft.		-
6	Aluminium door annonized 7x4x12gz. With machine, 12mm board, handle, door closer etc.	floor	2	Nos.	-
				<b>Total</b>	-

S.No.	Items Description	Qty.	Units	Rate	Amount
	<b>PAO CHEMICAL STAFF</b>				
1	<b>Executive Table</b>	2	Nos.		
i	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board Table of size 1350x750x750mm (wxdxh) The top shall be made of 25 mm thick plain particle board with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. The sides & modesty panel made of 25 mm prelaminate particle				
ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Modular particle board side unit of size 900x450x750mm The top shall be made of 25 mm thick plain particle board clad with 0.6 mm thick post formed laminate and 0.5 mm thick backing laminate at the bottom with flat edges duly sealed with 2 mm thick PVC edge lipping. the sides & modesty panel made of 25 mm prelaminate particle board duly edge banded. It has three drawer unit having telescopic	2	Nos.		
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht , snap on panel made of 12 mm prelaminate particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop.	1	No.		
	1202 x 750 x 72 mm	2	Nos.		
	1202 x 900 x 72 mm	2	Nos.		
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.				
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf of size 900x450(WxD). the top made of 25 mm prelaminate particle board duly edge banded & the side made of 18mm particle board duly edge banded.	2	Nos.		
2	<b>Staff seating for 8 persons</b>				
i	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Worktop made of 25mm particle board duly postformed with fitting top of size: 1200x600x25mm (wxdxt)	8	Nos.		



ii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra CPU Shelf, the top made of 25 mm prelaminate particle board duly edge banded & the side 900x450(WxD)	8	Nos.		
iii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Sliding Keyboard tray is provided on telescopic channel for extra smooth movement made of 18 mm thick particle board duly post formed.	8	Nos.		
iv	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra 3 drawer unit made of complete 18 mm prelaminate particle board duly edgebanded with necessary hardware fittings.	8	Nos.		
v	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Fins made of 10mm clear glass of size is 450x600x10mm(hwd)	4	Nos.		
vi	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Vertical modular partition panel laminated /upholstered of 72 mm thick & 1202 mm ht, snap on panel made of 12 mm prelaminate particle board duly edgebanded with raceway running at 2 levels one at skirting & one above or below the worktop. 1202 x 600 x 72 mm 1202 x 1200 x 72 mm	8 4	Nos. Nos.		
vii	Providing & Placing Godrej, Delite Hi-Tech, Howrath, Steel case and Vitra Storage unit Complete made of 20 gauge 2400 x 900 x 450 mm (HxWxD)	7	Nos.		

*Jasni*

3	<b>Electrical Switches and Sockets</b>				
i	Electrical switches & sockets of 6 & 15 amp (Anchor Roma)	30	Nos.		-
ii	Electrical cable for 6 & 16 amp switches & sockets with flexi & conduit pipe.	50	Mt.		-
iii	Computer Jack cat 6 with shutter (Anchor Roma)	10	Nos.		-
iv	Cat 6 cable for computer jack	150	Mt.		-
v	Telephone jack single with shutter (RJ-11) (Anchor Roma)	2	Nos.		-
vi	Telephone Cable 2 pair delton with conduit pipe	20	Mt.		-
4	Aluminium partition annonized 4"x1-3/4"x12 gz. With 12mm particule board & 3/4" margin complete. (Passage)	420	Sq. Ft.		-
5	Aluminium paneling annonizes 1.5"x1.5"x12 gz. With 12mm particule board & 3/4" margin complete. (pao chemical staff)	900	Sq. Ft.		-
6	Aluminium door annonized 7x4x12gz. With floor machine, 12mm board, handle, door closer etc.	2	Nos.		-
				<b>Total</b>	-

*Joshi*